EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1460	(358/1.14).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/07/12 10:54
L2	5276	(358/1.15).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/07/12 10:57
L3	9	(print$3) near (privat$3 or securu) same (notif$4 or notification or inform$3 or notice or message or event or signal) near2 (receiv$3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 10:57
L4	1175	((secur$4 or priva$3 or secre$3 or confiden$6) near print$3) same remo$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 10:58
L5	279	((secur$4 or priva$3 or secre$3 or confiden$6) near print$3) same remot$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 10:59
L6	36	((secur$4 or privat$3 or secret$3 or confiden$6) near3 print$3) same remot$3 near2 device	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 10:59
L7	33	((secur$5 or privat$3 or secret$3 or confident$6) near3 (print$3) same remot$3 with (authoriz$6 or authenticat$6))	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:00
L8	119	(secur$4 or privat$3) near2 (prin$3) with remot$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:01
L9	15	(secur$4 or privat$3) with remot$3 with (print$3) same (notif$4 or notification or inform$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:02
L10	245	(secur$4 or private) near print$3 same (client or user or terminal) same (password or authoriz$5 or authenticat$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:02
L11	6	(secur$4 or private) near print$3 same (notify$3 or notification or communicat$3 or inform$3) with (reciever or recipient or retriever)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:03
L12	19	(secur$4 or private) near2 print$3 same (notif$4 or notification or inform$3) near2 (reciever or recipient or retriever or client or customer or terminal or process or computer or operator)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:03

EAST Search History

L13	13	(secur$5 or private) near2 print$3 same (notify$3 or notification or inform$3) near2 (reciever or recipient or retriever or client or customer or terminal or process or computer or operator)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:03
L14	200	(secur$4 or private) same print$3 same (notify$3 or notification or inform$3) near2 (reciever or recipient or retriever or client or customer or terminal or process or computer or operator)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:04
L15	36	(secur$4 or private) same print$3 same (notify$3 or notification or inform$3) with (reciever or recipient or retriever)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:04
L16	53	(secur$6 or private) with print$3 same (notify$3 or notification or communicat$3 or inform$3) with (reciever or recipient or retriever)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:04
L17	2	(secur$4 or private) with print$3 same (notify$3 or notification or inform$3) with (reciever or recipient or retriever)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:05
L18	214	(secure$2 private$2 confidential$3 secret$3) with print near3 (job task request) and remote$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:05
L19	43	(secure$2 private$2 confidential$3 secret$3) with print near3 (job task request) same (remote$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:06
L20	43	(secure$2 private$2 confidential$3 secret$3) with print near3 (job task request) same remote$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:06
L21	6	remot$3 with (print$3) near (privat$3 or secur$4) same (notif$3 or notification or inform$3 or notice or message or event or signal) near2 (receiv$3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:07
L22	2	remot$3 with (print$3) same (notif$4 or notification or inform$3 or notice) near2 (receivS3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:07
L23	49	remot$3 with (print$3) same (notif$4 or notification or inform$3 or notice) near2 (receiv$3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:08

L24	40	remot$3 with (print$3) same (notif$4 or notification or inform$3) near2 (receiv$3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:08
L25	46	(secure$3 privates confidential$3 secre$3 privacy) with print near3 (job task request) same (remote$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:08
L26	162	(secure$2 privates2 confidential$3 secre63 privacy) with print near3 (job task request) same (network$3 remote$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:09
L27	176	(secure$2 privates2 confidential$3 secre$3 privacy) with print near3 (job task request) same (network$3 remote$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:09
L28	36	(network remote$2) near3 print$3 near2 (job task request) with (password token key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:09
L29	94	network near3 print$3 same (password authenticat$4 authoriz$5) same remot$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/12 11:10

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	731	(719/318).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/07/12 11:48
L2	546	(719/313).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/07/12 11:50
L3	471	(726/3).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/07/12 11:50
L4	214	(726/21).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/07/12 11:50
L5	682	3 or 4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 11:50
L6	33	5 and (network$3 same print$3 same (secur$6 privat$3 confident$6))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 13:03
L7	3	(("6,307,640") or ("6,348,972") or ("6,711,677")).PN.	US-PGPUB; USPAT	OR	OFF	2006/07/12 12:38
L8	624	(713/151,161).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/07/12 12:38
L9	9	("6307640").URPN.	USPAT	OR	ON	2006/07/12 12:39
L10	18	(network$3 same print$3 same (secur$6 privat$3 confident$6)) same (pass$3 forward$3 re$direct$3) with (token certificate)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 13:42
L11	49	(network$3 same print$3 same (pass$work secret token certificate)).clm.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 13:43

Web   Images   Groups   News   Froogle   Maps   **more »**

Google™ site:citeseer.ist.psu.edu secure network printin   [**Search**]   Advanced Search
Preferences

Web   Results 1 - 10 of 10 from **citeseer.ist.psu.edu** for **secure network printing notification.** (0.52 seconds)

Citations: Scalable, **Secure**, and Highly Available Distributed File ...
Network services available in Athena include name service, file service, **printing**, e
mail, **notification** service, service management, authentication, ...
citeseer.ist.psu.edu/context/138721/0 - 26k - Cached - Similar pages

Researching System Administration (ResearchIndex)
9 Automated System Monitoring and **Notification** With Swatch - Hansen, Atkins -
1993 ... 1 nlp: A **Network Printing** Tool (context) - Fletcher - 1992 ...
citeseer.ist.psu.edu/590796.html - 49k - Jul 10, 2006 - Cached - Similar pages

Citations: Project Athena as a distributed computer system ...
....in the face of **network** partitions. 12, 26] MIT s Project Athena is a system ...
Distributed services provide authentication, naming, filing, **printing**, ...
citeseer.ist.psu.edu/context/83574/0 - 24k - Cached - Similar pages

Citations: Computing in higher education: The Athena experience ...
But our scrub procedure is not **secure**, and in any event takes too long. ... The Project
Athena computing environment is built on a **network** services model of ...
citeseer.ist.psu.edu/context/94069/0 - 23k - Cached - Similar pages

Citations: LACHESIS: a tool for benchmarking Internet Service ...
... [14] **Printing** [11] **Network** Configuration [9] Trouble Tickets [9] **Secure** Root ...
VoIP **Network** Failure Detection and User **Notification** - Mark Karol Room ...
citeseer.ist.psu.edu/context/314448/0 - 13k - Cached - Similar pages

Citations: Threads of a New System - Richard (ResearchIndex)
Building **Secure** and Reliable **Network** Applications - Birman (1996) (120 citations) ...
8 **Notification** Ports : 52 10 Consistency of the Specification 54 11 ...
citeseer.ist.psu.edu/context/28263/0 - 32k - Cached - Similar pages

Citations: Toolkit Intrinsics Programming Manual - Nye, O'Reilly ...
and a configurable **secure** communication service, are built using Cactus, a system
for constructing highly configurable distributed services and **network** ...
citeseer.ist.psu.edu/context/62140/0 - 35k - Cached - Similar pages

Routing [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
1209.0 A Proposal to add Explicit Congestion **Notification** (ECN) to IP ... 91.4 A
Secure Active **Network** Environment Architecture - Alexander (1998) (Correct) ...
citeseer.ist.psu.edu/Networking/Routing/expected.html - 127k -
Cached - Similar pages

Digital Libraries [CiteSeer; NEC Research Institute; Steve ...
A **Notification** Service for Digital Libraries D. Faensen L. Faulstich br such a service
for ... broadened to include digital libraries other than pre-**print** ...
citeseer.ist.psu.edu/InformationRetrieval/ DigitalLibraries/date.html - 117k -
Cached - Similar pages

Routing [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
in References Routing The **network** must decide how to br component of the
architecture ... 133 A Proposal to add Explicit Congestion **Notification** (ECN) to IP ...
citeseer.ist.psu.edu/Networking/Routing/ - 126k - Cached - Similar pages

Free! Speed up the web. Download the Google Web Accelerator.

site:citeseer.ist.psu.edu secure netw   [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google